

中華人民共和國香港特別行政區政府總部教育局 Education Bureau Government Secretariat, The Government of the Hong Kong Special Administrative Region

The People's Republic of China

本局檔號 Our Ref.: EDB(SDCT)3/PRO/11/1/1 (6) 來函檔號 Your Ref.: 電話 Telephone: 2437 7255 傳真 Fax Line: 2416 2750

23 August 2019

To: Principals of all Kindergartens, Kindergarten-cum-Child Care Centres, Secondary, Primary and Special Schools

Dear Principal,

Advice on Quality of Drinking Water in Schools

The Education Bureau (EDB) attaches great importance to the quality of drinking water in schools and the health of students. As the new school year is approaching, please be reminded to take appropriate measures in accordance with the advice from the Department of Health (DH) and the Water Supplies Department related to the quality of drinking water. Schools can get the relevant information via the following path:

EDB Homepage (<u>www.edb.gov.hk</u>)> School Administration and Management> Administration> About School> Reducing Lead Exposure (<u>http://www.edb.gov.hk/en/sch-admin/admin/about-sch/reducing-lead-exposure/index.html</u>)

Please note that the "Health advice to schools and kindergartens for reducing lead exposure" prepared by the Centre for Health Protection of the DH has been included in the above-mentioned webpage.

If water has been standing in pipes for a prolonged period (such as after several hours of non-use, overnight, over a weekend or after a school holiday), schools should run water at a drinking fountain or tap, usually for two to three minutes prior to using it for drinking or food preparation. Drinking fountains and taps should be flushed at least twice a day – in the morning before school starts and at midday before lunch time. Schools should also drain away the water in the dispenser before use and switch off the power supply of the dispenser every night and during long holidays. For water conservation, schools should store the drained water from taps and dispensers for non-drinking purposes.

新界荃灣青山公路455-457號華懋荃灣廣場18檈 學校發展分部中央3組 School Development Division/Central Team 3 18/F., Chinachem Tsuen Wan Plaza, 455-457 Castle Peak Road, Tsuen Wan, N.T.

> 網圵: http://www.edb.gov.hk Website: http://www.edb.gov.hk

電子郵件: edbinfo@edb.gov.hk E-mail: edbinfo@edb.gov.hk For enquiries, please contact respective Senior School Development Officer or Senior Service Officer of your school.

Yours sincerely, (Ms Katie LEUNG)

for Secretary for Education